UJI NORMALITAS

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		62
Normal Parameters[a]	Mean	.0000000
	Std. Deviation	.37369980
Most Extreme Differences	Absolute	.104
	Positive	.059
	Negative	-.104
Kolmogorov-Smirnov Z		.822
Asymp. Sig. (2-tailed)		.509

a. Test distribution is Normal.

Histogram



Normal P-P Plot of Regression Standardized Residual



UJI MULTIKOLINEARITAS

Variables Entered/Removed[b]

Model	Variables Entered	Variables Removed	Method
1	X2, X1[a]	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.434[a]	.188	.161	.37998

a. Predictors: (Constant), X2, X1

ANOVA[b]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1.978	2	.989	6.848	.002[a]
	Residual	8.519	59	.144		
	Total	10.496	61			

a. Predictors: (Constant), X2, X1

b. Dependent Variable: Y

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	.701	.834		.841	.404		
	X1	.468	.216	.260	2.166	.034	.957	1.045
	X2	.284	.114	.298	2.487	.016	.957	1.045

a. Dependent Variable: Y

Coefficient Correlations[a]

Model			X2	X1
1	Correlations	X2	1.000	-.207
		X1	-.207	1.000
	Covariances	X2	.013	-.005
		X1	-.005	.047

a. Dependent Variable: Y

Collinearity Diagnostics[a]

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions		
				(Constant)	X1	X2
1	1	2.988	1.000	.00	.00	.00
	2	.010	17.552	.05	.06	1.00
	3	.002	40.675	.95	.94	.00

a. Dependent Variable: Y

UJI HETEROKEDASTISITAS

Variables Entered/Removed[b]

Model	Variables Entered	Variables Removed	Method
1	X2, X1[a]	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y

Model Summary[b]

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.434[a]	.188	.161	.37998

a. Predictors: (Constant), X2, X1

b. Dependent Variable: Y

ANOVA[b]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1.978	2	.989	6.848	.002[a]
	Residual	8.519	59	.144		
	Total	10.496	61			

a. Predictors: (Constant), X2, X1

b. Dependent Variable: Y

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.701	.834		.841	.404
	X1	.468	.216	.260	2.166	.034
	X2	.284	.114	.298	2.487	.016

a. Dependent Variable: Y

Residuals Statistics[a]

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	2.8394	3.7091	3.4647	.18005	62
Std. Predicted Value	-3.473	1.358	.000	1.000	62
Standard Error of Predicted Value	.048	.200	.077	.032	62
Adjusted Predicted Value	2.9039	3.7439	3.4655	.17572	62
Residual	-.75667	.66876	.00000	.37370	62
Std. Residual	-1.991	1.760	.000	.983	62
Stud. Residual	-2.011	1.794	.000	1.005	62
Deleted Residual	-.77143	.69461	-.00079	.39069	62
Stud. Deleted Residual	-2.066	1.829	-.003	1.015	62
Mahal. Distance	.003	15.843	1.968	3.137	62
Cook's Distance	.000	.147	.015	.024	62
Centered Leverage Value	.000	.260	.032	.051	62

a. Dependent Variable: Y

Scatterplot

Dependent Variable: Y



Lampiran 7

Uji asumsi klasik