

Your temporary usage period for IBM SPSS Statistics will expire in 5643 days.

REGRESSION

```

/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT PAD
/METHOD=ENTER PPD PRD.

```

## Regression

[DataSet0]

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	PRD, PPD <sup>b</sup>	.	Enter

- a. Dependent Variable: PAD
- b. All requested variables entered.

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.966 <sup>a</sup>	.933	.865	1.000

- a. Predictors: (Constant), PRD, PPD

### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	27.730	2	13.865	13.866	.037 <sup>b</sup>
	Residual	2.000	2	1.000		
	Total	29.729	4			

- a. Dependent Variable: PAD
- b. Predictors: (Constant), PRD, PPD

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	78.680	14.202		5.540	.031
	PPD	.129	.148	.185	.874	.474
	PRD	.119	.029	.860	4.068	.025

a. Dependent Variable: PAD

#### NPAR TESTS

```
/K-S (NORMAL) =RES_1
/MISSING ANALYSIS.
```

### NPar Tests

#### One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		5
Normal Parameters <sup>a,b</sup>	Mean	.0000000
	Std. Deviation	.70707809
Most Extreme Differences	Absolute	.208
	Positive	.208
	Negative	-.205
Test Statistic		.208
Asymp. Sig. (2-tailed)		.200 <sup>c,d</sup>

- a. Test distribution is Normal.
- b. Calculated from data.
- c. Lilliefors Significance Correction.
- d. This is a lower bound of the true significance.

### Model Summary<sup>b</sup>

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.966 <sup>a</sup>	.933	.865	1.000	2.590

- a. Predictors: (Constant), PRD, PPD
- b. Dependent Variable: PAD

### Coefficients<sup>a</sup>


Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics
		B	Std. Error	Beta			Tolerance
1	(Constant)	78.680	14.202		5.540	.031	
	PPD	.129	.148	.185	.874	.474	.752
	PRD	.119	.029	.860	4.068	.025	.752

### Coefficients<sup>a</sup>

Model		Collinearity Statistics
		VIF
1	(Constant)	
	PPD	1.330
	PRD	1.330

a. Dependent Variable: PAD

## Charts



```
SAVE OUTFILE='D:\KERJAAN\2020\SKRIPSI\PAJAK\Untitled1.sav'
/COMPRESSED.
```